

[Inicio](#) > STAG2 loss-of-function affects short-range genomic contacts and modulates the basal-luminal transcriptional program of bladder cancer cells

---

## [STAG2 loss-of-function affects short-range genomic contacts and modulates the basal-luminal transcriptional program of bladder cancer cells](#)

**URL:** <https://academic.oup.com/nar/article/49/19/11005/6396892>

**Authors:** [Richart, Laia](#) / [Lapi, Eleonora](#) / [Pancaldi, Vera](#) / [Cuenca-Ardura, Mirabai](#) / [Pau, Enrique](#) / [Madrid-Mencía, Miguel](#) / [Neyret-Kahn, Hélène](#) / [Radvanyi, François](#) / [Rodríguez, Juan](#) / [Cuartero, Yasmina](#) / [Serra, François](#) / [Le Dily, François](#) / [Valencia, Alfonso](#) / [Marti-Renom, Marc](#) / [Real, Francisco](#)

**Publication:** Nucleic Acids Research

**Volume / Pagination:** / 11005 - 11021

Barcelona Supercomputing Center - Centro Nacional de Supercomputación

---

**Source URL (retrieved on 15 Mar 2025 - 23:39):** <https://www.bsc.es/es/research-and-development/publications/stag2-loss-function-affects-short-range-genomic-contacts-and>